

SUPPLEMENT TO

The Gazette of India



No. 42 ] NEW DELHI, SATURDAY, NOVEMBER 10, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 13th October, 1956

CHOLERA								SMALLPOX				PLAGUE				CHOLERA								SMALLPOX				PLAGUE					
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.			
STATES PART (A) & PART (C)																Assam																	
Ajmer																Nowgong		.	.	3	1	..	..	..	..	(Estd. mid-year pop. 9,817 thousands).							
																TOTAL		.	..	3	1	..	..	..	..								
TOTAL		.	..	..	1	1	..	..																									
(Estd. mid-year pop. 752 thousands).																Total for w/e 9-10-56		7	1	..	..	..	..										
Total for w/e 6-10-56		..	..	..	..	..	..	Total for w/e 29-9-56		8	3	3	..	..	..																		
Total for w/e 29-9-56		..	..	..	..	..	..	7-yearly mean for the week		6	4	..	..	..	..																		
7-yearly mean for the week		..	..	..	..	..	..																										
Andhra																Bhopal																	
Srikakulam		.	.	..	..	1	..	..	"N.R."																								
Visakhapatnam		.	..	..	1	1	..	..																									
Godavari East		.	9	6	3	..	..	..	Bihar																								
Godavari West		.	..	..	2	1	..	..	Patna		.	.	.	81	34	..	..	..	..														
Krishna		.	..	..	7	..	..	..	Gaya		.	.	.	9	3	..	..	..	..														
Guntur		.	..	..	28	5	..	..	Shahabad		.	.	.	93	46	..	..	..	..														
Nellore		.	..	..	10	2	..	..	Monghyr		.	.	.	6	2	..	..	..	..														
Kurnool		.	5	2	6	2	..	..	Santal Parganas		.	.	.	9	4	..	..	..	..														
Cuddapah		.	..	..	5	..	..	..	Manbhum		.	.	.	7	4	..	..	..	..														
TOTAL		.	14	8	62	13	..	..	TOTAL		.	205	93	..	..	..	..	..	..														
(Estd. mid-year pop. 21,238 thousands).																(Estd. mid year pop. 42,198 thousands.)																	
Total for w/e 6-10-56		11	6	101	32	..	..	Total for w/e 6-10-56		327	126	9	2	..	..																		
Total for w/e 29-9-56		2	2	104	27	..	..	Total for w/e 29-9-56		387	172	6	2	..	..																		
7-yearly mean for the week		143	70	59	11	..	..	7-yearly mean for the week		160	66	14	3	..	..																		

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 13th October, 1956— *contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	L.	C.	D.	C.	D.
Bombay								Madras							
Ahmednagar	23	5	..	..	..	..	..	Madras	..	..	..	I	..	..	..
East Khandesh	7	2	..	..	..	..	..	Salem	..	..	..	I	..	..	..
West Khandesh	4	2	..	..	..	..	..	South Arcot	..	..	..	56	12	..	..
Nasik	92	28	..	..	..	..	..	Tanjore	..	..	..	5	I	..	..
Sholapur	..	..	I	..	..	..	..	Tiruchtrappalli	..	..	..	I	..	..	..
Kanara	..	..	6	..	..	..	..	Mathurai	..	..	..	3	..	..	..
TOTAL	126	37	7	..	..	..	..	Ramanathapuram	..	..	..	18	..	..	..
(Estd. mid-year pop. 39,569 thousands.)								Tirunelveli	..	..	..	10	..	..	..
Total for w/e 6-10-56	62	22	23	2	..	..	..	Malabar	..	..	..	I	I	..	..
Total for w/e 29-9-56	36	6	21	6	..	..	..	TOTAL	..	..	..	95	15	..	..
7-yearly mean for the week	56	19	28	5	..	..	..	(Estd. mid-year pop. 38,273 thousands.)							
Coorg								Total for w/e 6-10-56	..	..	53	23	..	..	..
"N.R."								Total for w/e 29-9-56	..	..	122	25	..	..	..
Delhi								7-yearly mean for the week	..	..	343	162	78	15	..
Delhi City	..	..	I	..	..	..	..	Manipur							
TOTAL	..	..	I	..	..	..	..	"N.R."							
(Census pop. 1,744 thousands.)								Orissa							
Total for w/e 6-10-56	..	..	..	..	..	..	..	Cuttack	..	..	96	48	..	..	..
Total for w/e 29-9-56	..	..	..	..	..	..	..	Balasore	..	..	I	..	..	..	..
7-yearly mean for the week	..	..	..	..	..	..	..	Puri	..	..	45	16	2	..	..
Himachal Pradesh								Sambalpur	..	..	..	..	9	I	..
TOTAL	..	..	..	..	..	..	..	Ganjam	..	..	70	40	..	..	..
(Estd. mid-year pop. 1,003 thousands.)								Keonjhar	..	..	..	..	I	..	..
Total for w/e 6-10-56	..	..	..	..	..	..	..	Dhankanal	..	..	8	7	..	..	..
Total for w/e 29-9-56	..	..	..	..	..	..	..	Kalahandi	..	..	3	3	..	..	..
Madhya Pradesh								TOTAL	..	..	223	114	12	I	..
"N. R."								(Estd. mid-year pop. 15,114 thousands.)							
Total for w/e 29-9-56	29	13	34	2	..	..	..	Total for w/e 6-10-56	241	161	9	I	..	..	..
7-yearly mean for the week	..	..	..	..	..	..	..	Total for w/e 29-9-56	149	84	14	..	..	..	..
								7-yearly mean for the week	..	..	24	12	35	2	..

Explanation of Symbols used:— C.—Cases ; D.—Deaths ; ..—Nil.; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 13th October, 1956—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Punjab (I)								West Bengal— <i>contd.</i>							
TOTAL . . . . .								(Estd. mid-year pop. 26,396 thousands.)							
(Census pop. 12,641 thousands.)								Total for w/e 6-10-56							
Total for w/e 6-10-56 . . . . .								Total for w/e 29-9-56							
Total for w/e 29-9-56 . . . . .								7-yearly mean for the week . . . . .							
7-yearly mean for the week . . . . .								Grand Total for States } Parts (A) & (C) }							
Pondicherry								(Excluding Bhopal, Coorg, Madhya Pradesh, Manipur, Tripura, Vindhya Pradesh)							
TOTAL . . . . .								Corresponding (Estd. mid-year pop. 275,525 thousands.)							
Tripura								Corresponding total for w/e 6-10-56 . . . . .							
"N.R."								Corresponding total for w/e 29-9-56 . . . . .							
Uttar Pradesh								Corresponding 7-yearly mean for the week . . . . .							
Allahabad . . . . .								STATES PART (B)							
Banaras . . . . .								Hyderabad							
Lucknow . . . . .								Aurangabad . . . . .							
Sitapur . . . . .								Parbhani . . . . .							
TOTAL . . . . .								Bhir . . . . .							
(Estd. mid-year pop. 66,780 thousands)								Raichur . . . . .							
Total for w/e 6-10-56 . . . . .								Osmanabad . . . . .							
Total for w/e 29-9-56 . . . . .								Nalgonda . . . . .							
7-yearly mean for the week . . . . .								Hyderabad . . . . .							
Vindhya Pradesh								Khammam . . . . .							
"N.R."								TOTAL . . . . .							
West Bengal								Jammu and Kashmir							
Burdwan . . . . .								"N. R."							
Bankura . . . . .								Madhya Bharat							
Howrah . . . . .								"N. R."							
24-Parganas . . . . .								TOTAL . . . . .							
Calcutta . . . . .								Jammu and Kashmir							
Nadia . . . . .								"N. R."							
Murahidabad . . . . .								Madhya Bharat							
Malda . . . . .								"N. R."							
TOTAL . . . . .								TOTAL . . . . .							

Explanation of symbols used : C.—Cases; D.—Deaths; ..—Nil; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 13th October, 1956—*contd.*

CHOLERA						CHOLERA					
SMALLPOX		PLAGUE				SMALLPOX		PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
<b>Mysore</b>						<b>ARREAR IN FORMATION</b>					
<b>TOTAL</b>						<b>Bihar</b>					
						<i>For w/e 6-10-56</i>					
<b>Patna and East Punjab States Union</b>						Patna	141	35	..	..	..
<b>TOTAL</b>						Shahabad	127	71	9	2	..
						Saran	13	3	..	..	..
						Monghye	1	..	..	..	..
<b>Rajasthan</b>						Bhagalpur	4	2	..	..	..
<b>"N. R."</b>						Santal Parganas	9	2	..	..	..
<b>Saurashtra</b>						Hazaribagh	26	12	..	..	..
<b>TOTAL</b>						Manbhum	5	1	..	..	..
						Muzaffarpur	1	..	..	..	..
						<b>TOTAL</b>	327	126	9	2	..
<b>Travancore-Cochin</b>						<b>Rajasthan</b>					
<b>TOTAL</b>						<i>w/e 29-9-56</i>					
						<b>TOTAL</b>	..	..	1	..	..
<b>Grand Total for States Part (B)</b>						<b>POLIOMYELITIS</b>					
<b>Grand Total for States Parts (A), (B) and (C)</b>						<i>(Information based] on patients treated in hospitals in important towns)</i>					
						<i>Place</i>	<i>Period</i>	<i>Cases</i>	<i>Deaths</i>		
						Uttar Pradesh	16—30 Sept., 56	5	(Parotic)		
						"	1—15 Oct. 56	3	(,,)		

Explanation of symbols used : C.=Cases; D.=Deaths; ..=Nil; "N.R."=Information not received.

New Delhi-2 (INDIA) }  
The 5th November, 1956.

K. MITRA,  
for Registrar General, India

## Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 13th October, 1956

Deaths from :—

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
<b>STATES—(Parts A and C)</b>													
<b>Ajmer</b>													
Ajmer . . .	223	91	21.2	..	..	..	1	..	6	..	25	5.8	3
Beawar . . .	59	14	12.3	..	..	..	2	..	2	1	13	11.5	4
TOTAL . . .	282	105	19.4	..	..	—	3	..	8	1	38	7.0	7
<b>Andhra</b>													
Adoni . . .	63	49	40.4	..	..	..	..	..	2	..	13	10.7	3
Anantpur . . .	38	9	12.3	..	..	..	1	..	2	..	10	13.7	1
Anakapalli . . .	46	15	17.0	..	..	..	1	..	..	..	13	14.7	2
Bhimavaram . . .	36	30	43.3	..	..	..	..	..	1	..	6	8.7	1
Chirala . . .	43	26	31.4	..	..	..	4	..	..	..	9	10.9	2
Chittoor . . .	45	46	53.2	..	..	..	2	1	..	..	11	12.7	6
Cuddapah . . .	42	11	13.6	..	..	—	..	..	..	..	2	2.5	..
Eluru . . .	99	37	19.4	..	..	..	10	..	5	2	31	16.3	4
Gudivada . . .	36	22	31.7	..	..	..	2	..	2	..	10	14.4	5
Guntur . . .	147	132	46.7	..	..	..	5	6	8	2	39	20.9	14
Guntakal . . .	37	21	29.5	..	..	..	2	1	2	..	9	12.6	2
Kakinada . . .	113	34	15.6	..	..	..	12	..	..	..	30	13.8	5
Kurnool . . .	68	62	47.4	..	..	..	1	2	3	..	30	23.0	2
Masulipatnam . . .	88	20	11.8	..	..	..	..	2	..	..	9	5.3	..
Nandyal . . .	37	32	45.0	..	..	..	1	1	1	..	10	14.1	3
Nellore . . .	95	77	42.1	..	..	..	2	2	..	..	23	12.6	10
Proddatur†													
Rajahmundry . . .	122	59	25.1	..	..	..	6	1	2	..	29	12.4	3
Tenali . . .	67	44	34.1	..	..	..	..	..	1	..	16	12.4	4
Vijayvada†													
Visakhapatnam . . .	128	80	32.5	..	1	..	9	3	8	..	38	15.4	10
Vizianagaram . . .	75	40	27.7	..	..	..	2	2	3	..	24	16.6	5
TOTAL . . .	1,425	846	30.3	..	1	..	60	21	40	4	382	13.9	82
<b>Assam</b>													
N.R.													
<b>Bhopal</b>													
Bhopal . . .	116	43	19.3	..	..	..	7	..	2	..	17	7.6	
<b>Biher</b>													
Arrah . . .	70	1	0.7	..	..	..	2	..	1	..	4	3.0	..
Biher . . .	68	8	6.1	..	..	..	2	1	..	..	3	2.3	..
Bettiah†													
Bhagalpur†													
Chapra . . .	69	39	29.4	..	..	..	1	2	1	..	14	10.6	1
Darbangha . . .	93	36	20.1	..	..	..	5	..	..	..	11	6.2	..
Dhanbad . . .	41	12	15.2	..	..	..	..	..	..	..	2	2.5	..
Dinapur . . .	44	4	4.7	..	..	..	1	..	1	2	5	5.9	..
Gaya . . .	149	36	12.6	..	..	..	20	2	18	..	40	14.0	..
Hazaribagh . . .	35	14	18.7	..	..	..	..	..	..	..	6	8.0	..
Jamalpur . . .	47	12	13.3	..	..	..	..	..	..	..	1	1.1	..
Jamshedpur . . .	246	100	21.1	..	..	..	1	1	2	1	13	2.8	1

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information. N.R.—Information; not received.

**Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 13th October, 1956—contd.**

Deaths from:—														
Town	Mid year Popn.Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D	
Bihar—contd.														
Katihar	51	..	..	..	..	..	..	..	..	..	..	..	..	
Monghyr†	84	38	23.5	..	..	..	8	2	2	..	36	22.3	..	
Muzaffarpur	..	..	..	..	..	..	..	..	..	..	..	..	..	
Patna	330	204	32.2	1	..	..	3	..	..	..	35	5.5	..	
Purulia	47	6	6.6	..	..	..	..	..	..	..	1	1.1	..	
Ranchi	130	13	5.2	..	..	..	6	..	..	..	12	4.8	..	
TOTAL	1,508	523	18.0	1	..	..	49	8	25	3	183	6.3	2	
Bombay														
Ahmedabad	889	895	52.4	..	..	..	27	18	45	..	265	15.5	87	
Ahmednagar	88	74	43.7	..	..	..	1	..	3	..	21	12.4	3	
Amalner	50	50	52.0	..	..	..	5	..	3	..	14	14.6	2	
Bagalkot	36	30	43.3	..	..	..	1	..	1	1	9	13.0	3	
Baroda	242	239	51.3	..	..	..	17	2	12	1	67	14.3	15	
Barsi	46	41	46.3	..	..	..	6	..	..	..	15	17.0	3	
Belgaum	110	71	33.6	..	..	..	3	3	5	..	22	10.4	4	
Bhusawal	62	28	23.5	..	..	..	3	..	1	..	9	7.5	3	
Bijapur†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Broach	67	49	38.0	..	..	..	5	..	..	2	12	9.3	1	
Cambay	41	41	52.0	..	..	..	..	1	3	..	11	14.0	4	
Chalisgaon	35	30	44.5	..	..	..	1	1	..	..	4	5.9	..	
Dharwar	76	33	22.6	..	..	..	..	..	..	..	14	9.6	1	
Dhulla	89	53	31.0	..	..	..	5	..	4	..	12	7.0	3	
Gadag-Betegeri	71	51	37.3	..	..	..	5	..	5	..	30	22.0	6	
Godra	40	52	67.6	..	..	..	3	..	2	..	8	10.4	1	
Greater Bombay	3,449	1,902	28.7	..	..	..	..	22	130	1	666	10.0	188	
Hubli	148	60	21.1	..	..	..	1	..	3	2	22	7.7	3	
Jalgaon	79	39	25.7	..	..	..	2	..	1	1	9	5.9	2	
Kalyan	73	49	34.9	..	..	..	..	..	2	..	7	5.0	3	
Kolhapur	159	101	33.0	..	..	..	5	1	2	..	23	7.5	5	
Malegaon	63	45	37.1	..	..	..	6	..	..	..	10	8.2	4	
Miraj	44	32	37.8	..	..	..	..	..	4	..	16	18.9	3	
Nadiad	71	59	43.2	..	..	..	19	..	..	..	30	21.9	9	
Nandurbar	35	20	29.7	..	..	..	2	..	..	1	9	13.3	2	
Nasik	119	85	37.1	..	..	..	2	2	4	..	20	8.7	4	
Navasari	50	38	39.5	..	..	..	4	..	..	..	9	9.3	3	
Pandharpur	44	45	53.2	..	..	..	2	3	5	..	18	21.3	6	
Patan	47	48	53.1	..	..	..	6	..	7	..	24	26.5	6	
Poona	607	374	32.0	..	..	..	3	5	29	..	109	9.3	26	
Sangli	58	20	17.9	..	..	..	3	..	..	..	13	11.7	3	
Satara	40	27	35.1	..	..	..	3	..	2	..	11	14.3	1	
Sholapur	299	325	56.5	..	..	..	14	14	44	..	181	31.5	35	
Surat	250	233	48.5	..	..	..	7	1	13	..	89	18.5	20	
Thana	61	37	31.5	..	..	..	..	2	1	..	8	6.8	3	
TOTAL	7,638	5,276	35.9	..	..	..	161	75	331	9	1,787	12.2	462	

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B=Births; B. R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R. D.=Respiratory Diseases; M. D.=Maternal Deaths; D. R.=Death Rate; I. D.=Infantile Deaths (included in total deaths); ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 13th October, 1956—*contd.*

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	Deaths from :—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Delhi State													
Delhi City	1,124	761	35.2	..	..	..	31	4	25	..	101	4.7	36
New Delhi	374	310	43.1	..	..	..	6	1	2	..	110	15.3	30
N.A.C. Civil Station, Delhi	117	81	36.0	..	..	..	2	1	..	..	14	6.2	9
Delhi Cantt.	50	25	26.0	..	..	..	..	..	..	..	6	..	..
Delhi-Shahadara	53	64	62.8	..	..	..	2	2	1	..	6	5.8	2
TOTAL	1,718	1,241	37.6	..	..	..	41	8	28	..	231	6.9	77
Madhya Pradesh													
"N.R."													
Madras													
Ambur	44	14	16.5	..	..	..	1	..	2	..	5	5.9	1
Aruppukottai	56	27	25.0	..	..	..	4	3	1	..	17	15.8	2
Bodinayakanpur	40	16	20.8	..	..	..	1	..	..	..	2	2.6	..
Cannanore	47	24	26.8	..	..	..	1	..	2	1	12	13.4	2
Chidambaram	39	27	36.0	..	..	..	..	..	..	..	6	8.0	1
Coimbatore	234	155	34.4	..	..	..	1	5	9	..	45	14.0	10
Cuddalore	74	54	37.9	..	..	..	3	4	1	..	20	14.0	5
Dindigul	90	35	20.4	..	..	..	1	3	2	..	11	6.5	2
Erode	67	64	49.7	..	..	..	..	1	4	..	16	12.4	2
Gobichetty Palayan	38	9	12.3	..	..	..	1	..	..	..	6	8.2	4
Guddiyattam	53	10	9.8	..	..	..	..	..	2	..	8	7.8	3
Kancheepuram	90	80	46.2	..	..	..	1	3	8	..	21	12.1	7
Karakudi	44	23	27.2	..	..	..	2	2	2	..	12	14.2	4
Karur	50	14	14.6	..	..	..	..	1	..	..	8	8.3	2
Kozhikode	176	67	19.8	..	..	..	1	..	11	..	49	14.5	11
Kumbakonam	105	49	24.3	..	..	..	..	..	2	..	19	9.4	6
Madras	1,703	1,448	44.2	..	1	..	46	88	133	4	536	16.4	146
Mangalore	136	39	14.9	..	..	..	1	..	1	..	23	8.8	3
Mathurai	427	270	32.9	..	..	..	7	9	13	..	108	13.2	33
Mayuram	49	22	23.2	..	..	..	..	..	..	..	5	5.3	2
Malapalayam	41	5	6.2	..	..	..	1	1	..	..	4	5.0	2
Nagapattinam	60	36	31.0	..	..	..	1	..	3	..	14	12.1	3
Ootacamund	48	36	39.0	..	..	..	..	..	4	..	9	9.7	1
Palni	40	19	24.7	..	..	..	..	..	2	..	7	9.1	1
Palayamkottai	45	44	50.8	..	..	..	1	..	4	..	12	13.9	2
Palghat	77	48	32.4	..	..	..	..	1	2	1	13	8.8	5
Periyakulam	34	14	21.4	..	..	..	..	2	2	..	10	15.3	4
Pollachi	51	32	32.6	..	..	..	..	1	..	..	10	10.2	4
Pudukottai	50	28	29.1	..	..	..	3	1	..	..	10	29.1	1
Rajapalayam	69	32	24.1	..	..	..	1	1	2	..	8	6.0	1
Salem†	42	36	44.6	..	..	..	..	1	3	..	7	8.7	..
Srirangam	42	36	44.6	..	..	..	..	1	3	..	7	8.7	..
Srivilliputtur†	42	36	44.6	..	..	..	..	1	3	..	7	8.7	..
Tanjore	118	144	63.5	..	..	..	1	2	5	2	43	18.9	8
Tellicherry	42	34	42.0	..	..	..	..	..	1	1	15	18.6	1
Tiruvannamalai	45	23	35.8	..	..	..	..	1	..	1	8	12.4	2
Tirunelveli	80	59	38.4	..	..	..	..	2	2	..	18	11.7	3
Tiruppur	63	33	27.2	..	..	..	1	..	1	1	8	6.6	3
Tiruchirappalli	251	142	29.4	..	..	..	1	5	9	..	73	15.1	12
Tuticorin	111	95	44.5	..	1	..	3	4	12	..	49	23.0	16
Vaniyambadi	43	12	14.5	..	..	..	..	..	..	..	5	6.0	2
Vellore	124	134	56.2	..	..	..	1	2	11	..	47	19.7	9
Villupuram	39	32	42.7	..	..	..	1	2	5	1	15	20.0	6
Virudunagar	53	66	64.8	..	..	..	2	1	3	..	13	12.8	..
TOTAL	5,088	3,551	36.3	..	2	..	88	146	264	12	1,327	13.6	332

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used : — B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 13th October, 1956—*contd.*

Town	Mid-year Popn.-Est. (ooo)	Deaths from:—											D.R.*	I.D.	
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total				
Orissa															
"N.R."															
Pondicherry															
Pondicherry	68	75	57.4	..	2	..	5	6	2	1	19	14.5	12		
Punjab (I)															
Ambala	65	61	49.0	..	..	.	3	3	6	..	13	10.5	5		
Amritsar	343	191	29.0	..	..	.	..	7	15	3	86	13.0	35		
Batala	62	24	20.2	..	..	..	1	1	1	..	5	4.1	1		
Bhiwani	57	65	51.4	..	..	..	2	..	..	..	4	3.7	2		
Ferozepore	45	24	27.8	..	..	..	2	..	..	..	4	4.5	..		
Hissar	39	35	46.6	..	..	..	4	..	..	..	6	8.0	1		
Hoshiarpur	51	23	23.5	..	..	..	..	..	..	..	4	4.1	1		
Jullundur	200	75	19.6	..	..	..	12	2	2	..	22	5.8	6		
Karnal	72	24	17.3	..	..	..	5	..	..	..	7	5.1	3		
Ludhiana	176	137	40.6	..	..	..	8	..	2	..	19	5.6	1		
Moga	41	25	31.7	..	..	..	2	..	..	..	7	8.8	3		
Pañipat	64	48	39.0	..	..	..	3	1	1	..	10	8.2	4		
Pathankot	34	13	19.8	..	..	..	2	1	..	..	3	4.6	..		
Rewari	36	18	26.0	..	..	..	..	1	3	..	5	7.3	3		
Rohtak	105	66	32.7	..	..	..	4	1	..	..	9	4.4	3		
Simla†															
Sonipat	34	26	40.0	..	..	..	2	1	1	..	6	9.1	2		
TOTAL	1,424	846	30.9	..	..	..	50	18	31	3	210	7.7	70		
Uttar Pradesh															
Agra	375	300	41.7	..	..	..	2	9	54	..	113	15.6	30		
Allahabad	349	200	30.0	..	..	..	2	2	16	..	50	7.5	17		
Amroha	61	50	42.6	..	..	..	1	2	3	..	23	19.6	15		
Bahraich	47	17	18.7	..	..	..	3	..	..	..	5	5.6	3		
Banaras	383	230	31.3	..	1	..	27	8	13	1	117	16.0	27		
Ballia	35	12	17.7	..	..	..	1	..	..	..	2	3.0	..		
Banda	32	11	18.0	..	..	..	..	..	..	..	..	..	..		
Bareilly	203	68	17.3	..	..	..	2	1	13	..	21	5.4	2		
Bijnor †															
Budaun	54	42	40.6	..	..	..	4	..	4	..	15	14.4	4		
Basti †															
Bulandshahr†															
Chandausi	41	29	37.4	..	..	..	1	..	2	..	7	9.1	4		
Dehra Dun	146	53	19.0	..	..	..	1	..	2	..	8	2.7	3		
Etawah	64	66	53.6	..	..	..	5	1	2	..	15	12.2	6		
Faizabad-Ayodhya	88	33	19.4	..	..	..	1	..	1	..	7	4.0	3		
Farrukhabad-Fatehgarh	82	49	31.1	..	..	..	7	1	5	..	20	12.5	6		
Ferozabad	79	36	23.6	..	..	..	2	..	..	..	8	5.3	3		
Ghazilabad†															
Ghazipur	36	28	40.5	..	..	..	8	..	..	..	14	20.1	2		
Gorakhpur	140	70	26.0	..	..	..	8	2	5	..	22	8.2	4		
Gonda	35	16	23.9	..	.	..		1	3	..	5	7.5	..		
Hapur	49	29	30.8	..	.		10	..	.	1	12	12.8	5		
Hardwar	64	49	40.0	..	.	..	15		3		34	27.8	10		
Hathras	62	63	53.0	..	..	..	14	1	9	..	38	32.0	13		
Jaunpur	56	33	30.7	..	..	..	3	..	3	..	10	9.3	2		
Jhansi	116	137	61.5	..	..	..	20	2	3	..	32	14.4	11		
Kanpur	734	459	32.7	..	..	..	142	26	56	7	403	28.7	98		
Kasganj	34	9	13.8	..	..	..	1	..	1	..	2	3.1	1		
Khurja	41	28	35.7	..	..	..	2	1	2	..	8	10.2	2		

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I. D.—Infantile Deaths (included in total deaths) ; ..—Nil Information. "N. R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 13th October, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
<b>Uttar Pradesh—<i>contd.</i></b>													
Koili-Aligarh . . .	150	62	21.5	..	..	..	1	1	3	..	13	4.5	5
Lucknow . . .	494	342	36.2	..	..	..	12	3	7	1	59	6.2	19
Mathura . . .	110	159	75.6	..	..	..	7	4	6	..	25	11.8	20
Mau-Nath Bhanjant													
Meerut . . .	185	156	44.0	..	..	..	7	2	4	2	22	6.2	3
Mirzapur Vindhya	97	66	35.6	..	..	..	11	2	..	..	23	12.4	9
Moradabad . . .	164	152	48.3	..	..	..	3	7	4	..	30	9.6	9
Muzaffarnagar . .	74	36	25.4	..	..	..	8	2	1	..	16	11.3	6
Pilibhit . . .	45	37	43.0	..	..	..	5	1	..	..	13	15.0	5
Rampur†													
Saharanpur . . .	162	143	46.1	..	..	..	36	4	1	..	61	19.6	20
Sambhal . . .	65	43	38.6	..	..	..	4	1	3	..	14	11.3	3
Shahjahanpur . . .	99	58	23.7	..	..	..	8	..	1	..	14	5.6	4
Sitapur . . .	49	20	21.3	..	..	..	3	..	..	..	5	5.3	3
TOTAL . . .	5,100	3,395	34.6	..	1	..	388	84	230	12	1,286	13.1	359

### West Bengal

"N.R."

### STATES—(Part B)

#### Hyderabad

"N.R."

#### Jammu & Kashmir

"N.R."

#### Madhya Bharat

"N.R."

#### Mysore

Chitaldrug . . .	31	5	8.4	..	..	..	..	..	..	..	..	..	..
Bhadravati†													
Bangalore . . .	977	542	28.8	..	..	..	7	32	44	..	206	11.0	..
Mysore . . .	294	129	22.8	..	..	..	9	9	1	..	48	8.5	..
Kolar . . .	32	3	4.9	..	..	..	1	..	..	..	1	1.6	..
Kolar Gold Field .	173	121	36.4	..	..	..	2	6	4	1	35	10.5	..
Bellary . . .	78	23	15.3	..	..	..	2	..	1	..	15	10.0	..
Davangere . . .	69	56	42.2	..	..	..	5	..	..	..	23	17.3	..
Hospet . . .	45	7	8.1	..	..	..	1	..	1	..	3	3.5	..
Shimoga . . .	57	32	29.2	..	..	..	4	1	1	..	10	9.1	..
TOTAL . . .	1,756	918	27.2	..	..	..	31	49	52	1	341	10.1	..

### PEPSU

Patiala City . . .	111	20	9.4	..	..	..	11	..	1	..	35	16.4	14
Malerkotla . . .	34	21	32.1	..	..	..	2	..	..	..	2	3.1	..
Bhatinda . . .	39	24	32.0	..	..	..	1	..	1	..	4	5.3	..
TOTAL . . .	184	65	18.4	..	..	..	14	..	2	..	41	11.6	14

### Rajasthan

Alwar . . .	60	3	2.6	..	..	..	..	..	..	..	1	0.9	..
Bharatpur . . .	38	7	9.6	..	..	..	2	..	..	..	4	5.5	1
Bikaner . . .	117	30	13.3	..	..	..	3	1	5	..	20	8.9	2
Churu . . .	48	5	5.4	..	..	..	1	..	..	..	1	1.1	..
Ganganagar†													
Tonk†													
Kotah . . .	72	10	7.2	..	..	..	4	2	2	..	17	12.3	2
Sikar†													
Jaipur . . .	353	127	18.7	..	..	..	40	2	12	..	86	12.7	40
Udaipur†													
Jodhpur . . .	200	44	11.4	..	..	..	11	2	..	..	21	5.5	3
TOTAL . . .	888	226	13.2	..	..	..	61	7	19	..	150	8.8	48

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil information ; "N. R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 13th October, 1956—*contd.*

Deaths from :—														
Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Travancore-Cochin														
Alleppey	148	17	6.0	..	..	..	..	..	..	..	1	0.4	..	
Changanacherry	41	12	5.2	..	..	..	..	..	..	..	3	3.8	1	
Ernakulam	70	27	20.1	..	..	..	..	..	..	..	6	4.5	1	
Kottayam	50	42	43.7	..	..	..	2	..	3	..	14	14.6	2	
Mattanchery	85	54	33.0	..	..	..	2	..	4	..	24	14.7	3	
Nagercoil	94	44	24.3	..	..	..	2	3	2	..	12	6.6	..	
Quilon†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Trichur	76	52	35.6	..	..	..	..	..	5	..	12	8.2	1	
Trivandrum City	218	101	24.1	..	3	..	4	..	2	..	20	4.8	2	
TOTAL	782	349	23.2	..	3	..	10	3	16	..	92	6.1	10	
Saurashtra														
Bhavnagar	157	107	35.4	..	..	..	7	1	2	..	22	7.3	4	
Dhoraji	47	21	23.2	..	..	..	2	..	..	..	4	4.4	..	
Gondal	41	32	40.6	..	..	..	..	1	1	..	6	7.6	..	
Jamnagar	122	26	11.1	..	..	..	3	2	..	..	14	5.6	3	
Junagadh	65	23	18.4	..	..	..	6	1	2	..	26	20.8	7	
Morvi	43	24	29.0	..	..	..	3	..	..	1	5	6.0	3	
Porbandar	64	60	48.8	..	..	..	16	..	1	..	35	28.4	7	
Rajkot	167	67	20.8	..	..	..	10	3	6	..	56	17.4	22	
Surendranagar†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Veraval	46	14	15.8	..	..	..	2	..	3	..	5	5.7	1	
TOTAL	752	374	25.9	..	..	..	49	8	15	1	173	12.0	47	
Bihar														
ARREAR RETURNS For w/e 6-10-56														
Arrah	70	22	16.3	..	..	..	4	1	1	..	10	7.4	..	
Bihar	68	8	6.1	2	..	..	2	1	..	..	7	5.4	..	
Bettiah†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Bhagalpur†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Chapra	69	32	24.1	2	..	..	..	..	..	1	11	8.3	1	
Darbangha	93	44	24.6	..	..	..	..	1	1	..	3	1.7	..	
Dhanbad	41	13	16.3	..	..	..	3	..	1	..	11	14.0	..	
Dinapur	44	4	4.7	1	..	..	..	..	..	2	5	5.9	..	
Gaya	149	31	10.8	..	..	..	21	4	11	1	58	20.2	..	
Hazaribagh	39	7	9.3	..	..	..	..	..	..	..	..	..	..	
Jamalpur	47	3	3.3	..	..	..	..	..	..	..	..	..	..	
Jamshedpur	246	155	32.8	..	..	..	1	1	3	..	20	4.2	5	
Katihar	51	2	2.0	..	..	..	..	..	..	..	..	..	..	
Monghyr†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Muzaffarpur	84	57	35.3	..	..	..	5	1	1	..	22	13.6	..	
Patna	330	236	37.2	3	..	..	..	..	1	..	32	5.0	..	
Purulia	47	8	8.8	..	..	..	1	..	..	..	2	2.2	..	
Ranchi	130	26	10.4	..	..	..	6	..	..	..	12	4.8	1	
TOTAL	1,508	648	22.3	8	..	..	43	9	19	4	193	6.7	7	
For w/e 29-9-56														
Arrah	70	17	12.6	..	..	..	3	1	..	..	8	5.9	..	
Bihar	68	14	10.7	..	..	..	2	..	..	..	5	3.8	..	
Bettiah†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Bhagalpur†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Chapra	69	39	29.4	1	..	..	1	1	..	..	11	8.3	3	
Darbangha	93	31	17.3	..	..	..	3	..	1	..	9	5.0	..	
Dhanbad	41	5	6.3	..	..	..	..	..	..	..	2	2.5	..	
Dinapur	44	4	4.7	..	..	..	2	..	1	3	7	8.3	..	
Gaya	149	71	24.8	..	..	..	26	1	12	2	66	23.0	..	

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (Included in total deaths); ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 13th October 1956—*contd.*

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	Deaths from —								Total	D.R.*	I.D.
				C	S.	P.	F.	D.D.	R.D.	M.D.				
Bihar—contd														
Hazaribagh . . .	39	10	13.3	..	..	..	..	..	..	..	2	2.7	..	..
Jamalpur . . .	47	13	14.4	..	..	..	2	..	..	..	4	4.4	..	..
Jamshedpur . . .	246	196	41.4	..	1	..	3	..	1	..	33	7.0	6	..
Katihar . . .	51	3	3.1	..	..	..	..	..	..	..	1	1.0	..	..
Monghyr†	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Muzaffarpur . . .	84	35	21.7	..	..	..	5	..	..	..	17	10.5	..	..
Patna . . .	330	155	24.4	2	..	..	4	..	2	..	18	2.8	..	..
Purulia . . .	47	8	8.8	..	..	..	1	..	1	..	3	3.3	..	..
Ranchi . . .	130	22	8.8	..	..	..	8	1	..	..	16	6.4	..	..
TOTAL . . .	1,508	623	21.5	3	1	..	60	4	18	5	202	7.0	9	..
Delhi State														
For w/e 22-9-56														
Delhi City . . .	1,124	867	40.1	..	..	..	70	6	36	1	177	8.2	59	..
New Delhi . . .	374	301	41.8	..	..	..	2	3	6	..	95	13.2	31	..
N.A.C. Civil Station Delhi . . .	117	126	56.0	..	..	..	..	1	1	..	16	7.1	6	..
Delhi Cantt. . .	50	25	26.0	..	..	..	..	..	..	..	..	..	..	..
Delhi-Shahdara . .	53	45	44.2	..	..	..	5	2	1	..	11	10.8	3	..
TOTAL . . .	1,718	1,364	41.3	..	..	..	77	12	44	1	299	9.1	99	..
Madhya Pradesh														
For w/e 6-10-56														
Nagpur . . .	528	307	30.2	..	..	..	27	6	14	..	104	10.2	6	..
Kamptee . . .	36	33	47.7	..	..	..	1	..	..	..	7	10.1	..	..
Chanda . . .	43	43	52.0	..	..	..	5	..	..	..	21	25.4	6	..
Chhindwara . . .	31	19	31.9	..	..	..	1	1	..	..	11	18.4	7	..
Sagar . . .	75	46	31.9	..	..	..	6	..	..	..	13	9.0	..	..
Itarsi . . .	30	18	31.2	..	..	..	1	..	..	..	3	5.2	3	..
Khandwa . . .	59	23	20.3	..	..	..	5	..	..	..	11	9.6	..	..
Burhanpur . . .	79	53	34.9	..	..	..	9	1	2	..	22	14.5	..	..
Bilaspur . . .	40	26	33.8	..	..	..	3	..	1	..	12	20.8	..	..
Akola . . .	104	91	45.5	..	..	..	12	3	2	..	29	14.5	6	..
Khamgaon . . .	42	47	58.2	..	..	..	14	..	..	..	11	13.6	..	..
Yeotmal . . .	41	47	59.6	..	..	..	2	..	..	..	7	8.9	2	..
TOTAL . . .	1,108	753	35.3	..	..	..	76	11	19	..	251	11.8	30	..
Uttar Pradesh														
For w/e 3-21-55														
Bulandshahr . . .	41	16	20.3	..	..	..	1	..	..	..	1	1.3	1	..
Amroha . . .	60	50	43.4	..	..	..	1	3	5	1	21	18.2	10	..
Bijnor . . .	32	19	31.9	..	..	..	1	..	..	..	2	3.4	..	..
Ballia . . .	34	8	12.3	..	..	..	2	..	..	..	7	10.7	4	..
Etawah . . .	63	58	48.0	..	..	..	6	2	6	..	23	19.0	7	..
For w/e 10-12-55														
Bulandshahr . . .	41	7	8.9	..	..	..	1	..	..	..	1	1.3	..	..
Feizabad . . .	85	39	23.9	..	..	..	..	2	1	1	7	4.3	..	..
Hapur . . .	48	60	65.2	..	..	..	5	3	1	..	16	17.4	..	..
Ballia . . .	34	16	24.5	..	..	..	1	..	..	..	2	3.1	1	..
Shahjahanpur . . .	99	89	46.9	..	..	..	8	1	1	..	17	8.9	5	..
Bijnor . . .	32	20	33.6	..	..	..	1	1	3	..	5	8.4	1	..
Mau Nath Bhanjan	37	40	56.4	..	3	..	2	1	..	..	12	16.9	4	..

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 13th October, 1956—concl'd.

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	Deaths from 1—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
For w/e 17-12-55														
Bulandshahr . . .	41	20	25.4	..	..	..	2	..	..	..	2	2.5	1	..
Hapur . . .	48	31	33.7	..	..	..	3	4	3	..	12	13.0	4	..
Mau Nath Bhanjan . . .	37	35	49.3	..	1	..	3	1	..	..	10	14.1	4	..
Pilibhit . . .	45	37	42.9	..	..	..	13	1	2	..	17	19.7	5	..
Etawah . . .	63	47	38.9	..	..	..	6	2	6	..	27	22.3	10	..
Rampur . . .	154	4	1.3	..	..	..	2	..	..	..	3	1.0	..	..
Allahabad . . .	349	236	36.0	..	..	..	..	1	22	1	62	9.4	18	..
Lucknow . . .	485	438	47.1	..	..	..	15	8	24	..	128	13.8	46	..
For w/e 24-12-55														
Bulandshahr . . .	41	23	25.4	..	..	..	2	..	..	..	2	2.5	..	..
Hapur . . .	48	50	54.3	..	..	..	5	1	4	1	13	14.1	6	..
Lucknow . . .	485	634	68.2	..	..	..	13	5	22	..	147	15.8	49	..
Mau Nath Bhanjan . . .	37	26	36.6	..	2	..	4	4	..	..	16	14.9	4	..
Kasganj . . .	34	11	16.9	..	..	..	4	..	2	..	6	9.2	2	..
Banda . . .	32	9	14.7	..	..	..	1	..	..	..	3	4.9	..	..
For w/e 31-12-55														
Bulandshahr . . .	41	13	16.5	..	..	..	1	..	..	..	1	1.3	1	..
Lucknow . . .	485	601	65.4	..	..	..	8	11	30	..	187	20.1	67	..
Rampur . . .	158	..	..	..	..	..	..	..	..	..	1	0.3	..	..
Bijnor . . .	32	25	42.0	..	..	..	..	..	7	..	11	18.5	..	..
Allahabad . . .	349	230	35.1	..	1	..	1	1	13	..	56	8.5	1	..
Travancore Cochin														
For w/e 6-10-56														
Kottayam . . .	50	40	41.6	..	..	..	1	..	2	..	12	12.5	..	..

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = No information.

## REMARKS

The figures of births and deaths shown in this statement for week ending the 13th Oct. 1956, relate to 210 towns with an estimated population of 28,729 thousands. The total number of towns is 318 and their population is 41,584 thousands. Thus 66% of the total number of towns representing 69% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 17,834 and 6,277 representing birth and death rates of 32.3 and 11.4 per thousand of population respectively.

(a) *States (Part A and C).*—The data here relate to 174 towns with an estimated population of 24,367 thousands. Information about Assam, Madhya Pradesh, Orissa and West Bengal could not be included. The total number of towns is 253 and their population is 33,500 thousands. Thus 69% of the total number of towns representing 73% of the total population is

covered. The number of births and deaths recorded in these towns were 15,902 and 5,480 representing birth rates and death rates of 33.9 and 11.7 per thousand of population respectively. The table at the end gives the position by States. No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B).*—The data here relate to 36 towns with an estimated population of 4,362 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 55% of the total number of towns representing 54% of the total population is covered. The number of births and deaths recorded in these towns were 1,932 and 797 representing birth and death rates of 23.0 and 9.5 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 13-10-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period.	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer . . .	19.4	7.0	†	†	47.0	15.0
Andhra . . .	30.9	13.9	45.2	15.0	†	†
Bihar . . .	18.0	6.3	24.3	6.7	17.1	6.8
Bombay . . .	35.9	12.2	38.9	14.2	38.8	15.9
Delhi . . .	37.6	6.9	42.6	8.2	41.2	10.8
Madras . . .	36.3	13.6	39.8	13.9	†	†
Punjab (I) . . .	30.9	7.7	46.3	9.2	43.3	10.5
Uttar Pradesh . . .	34.6	13.1	48.6	16.0	43.8	18.1
India* . . .	33.9	11.7	41.6	13.3	39.4	15.9

\* 6 Part 'A' States and 2 Part 'C' States.

† Figures not available.

NEW DELHI-2 (INDIA); }  
The 5th November, 1956.

K. MITRA,  
for Registrar General, India.

